



NATIVE PLANT SALE

MAY 11, 12, & 13 • 9:30 AM - 4:30 PM



Plant Selection

Available in 1 Quart Containers

Common Name	Scientific Name	Color	Height/ Width	Bloom Time	Use	Light	Spacing	Description	Conditions
Anise Hyssop	<i>Agastache x foeniculum</i>	Lavender	2'-4'h 1.5'-3'w	June-September	Butterfly/ Bees/ Pollinators/ Hummingbird	full to partial sun	12"	Bright purple flowers on clustered spikes and textured foliage attract pollinators and butterflies. Crushed leaves are mint and licorice scented.	Easily grown in average, dry to medium moisture, well drained soils. Best in full sun. Spreads by rhizomes and self sows.
Bee Balm	<i>Monarda didyma</i>	Red	2'-4'h 1.5'w	June - August	Hummingbird/ Butterfly/ Bees	full sun to partial shade	18"	Showy bright tubular scarlet flowers occur in clusters of flowerheads that are 3-4" across. Leaves have a minty fragrance. Creates striking presence when planted in mass.	Best grown in rich, medium soils with some afternoon shade. Deadhead flowers to prolong blooms.
Bergamot	<i>Monarda fistulosa</i>	Pale pink/ purple	2'-4'h 3'-4'w	July - September	Butterfly/ Songbird/ Hummingbird	full to partial sun	24"	Intricate lavender flowers are a magnet for pollinators, butterflies, and hummingbirds. Forms masses and is impressive planted in groups. Fresh leaves can be used to brew tea.	Best grown in dry to medium moisture in well-drained soils. Plants need good air circulation. Deadhead to prolong blooms.
Blazing Star	<i>Liatris spicata</i>	Mauve/ Pink	3-5'h 1'-1.5'w	July-August	Butterfly/ Songbird	full to partial sun	6-12"	Bold purple flower spikes on clump forming plant. Attracts butterflies, hummingbirds, and songbirds.	Prefers moist, well-drained soil.
Blue Wild Indigo	<i>Baptisia australis</i>	Deep blue	3-5'h 3'-4'w	June-July	Butterfly	full to partial sun	24"	Intense blue, pea-like flowers on attractive foliage with blue-black seed pods. Forms 3' w x 3' h clumps. Host plant for frosted elfin butterfly and important nectar plant.	Easily grown in average, dry to medium well-drained soil. Prefers full sun. Tolerates drought and poor soil. Prefers not to be disturbed once established.
Butterfly Milkweed	<i>Asclepias tuberosa</i>	Orange	1'-3'h 2'w	May-August	Butterfly/ Bees/ Pollinators	full to partial sun	12-18"	Showy, bright orange flowers, butterfly and pollinator magnet and host plant for monarch caterpillars.	A top butterfly plant for drier soil. Short stature sun loving plant for monarchs.
Cardinal Flower	<i>Lobelia cardinalis</i>	Red	2'-4'h 1'-2'w	July - September	Hummingbird/ Butterfly	full sun to partial shade	12"	A clump-forming perennial with erect spikes of brilliant red tube shaped flowers that draw hummingbirds like a magnet.	Grows well in medium rich to moist soils. Tolerates some flooding. Should not dry out. Prefers some afternoon shade.

Common Name	Scientific Name	Color	Height/Width	Bloom Time	Use	Light	Spacing	Description	Conditions
Common Milkweed	<i>Asclepias syriaca</i>	Pink to Lavender	2-4'h 1'w	June-August	Butterfly/ Songbird/ Pollinators	full to partial sun	12-18"	A profusion of sweetly scented lavender to pink flowers blooms mid-summer and attracts numerous pollinators. Host plant for monarch butterflies.	Easily grown in average, dry to medium well-drained soil in full sun. Spreads by rhizomes and can create a patch if left to reseed and spread.
Coral Bells	<i>Heuchera americana</i>	Cream with Red Tinge	1'-2'h 1'-1.5'w	June-August	Hummingbird	full sun to partial shade	12"	Excellent foliage plant with ruffled leaves. Evergreen in mild winters. Clump forming. Attracts hummingbirds.	Prefers rich soil, medium moisture and well-drained soils in full sun to part shade.
Culver's Root	<i>Vernoniacratum virginicum</i>	White/ Pale Blue	3-6'h 2'-4'w	July-August	Butterfly/ Pollinators	full sun to part shade	18"	Dense, slender, 9" long spikes of tiny, tube-like, white to pale blue flowers open from the top down in late spring to early summer on strong, upright stems. Provides height to gardens and when open flower patterns resembles a candelabra.	Easily grown in average, medium to wet, well-drained soil in full sun. Tolerates light shade.
Dotted Mint	<i>Monarda punctata</i>	Lavender	1'-2'h 1'w	July-September	Butterfly	full sun	12"	The bright lavender "flowers" are actually leafy bracts that surround the true flower. Legions of butterflies, native bees, and other pollinators flock to this plant. Long lasting flowers make this plant a star of the garden especially when planted in a group. Tolerates dry, sandy soil.	Prefers dry to medium moisture, well-drained soils in full sun to part shade. Tolerates dry, sandy soil. Deadhead to prolong blooms.
Eastern Blue Star	<i>Amsonia tabernaemontana</i>	Light Blue	2'-3'h 2'-3'w	May - June	Butterfly	full sun to part shade	12"- 24"	Clump forming plant with clusters of 3/4" light blue star shaped flowers. Foliage adds interest and has narrow willow-shaped leaves that turn yellow in fall. Tolerates deer. Plant in a mass for best effect.	Easily grown in average, medium, well-drained but moist soil.
Foamflower	<i>Tiarella cordifolia</i>	White/Pink	1'h 1.5'w	May - June	Butterfly	part to full shade	12"	Delicate, shade-loving, early spring bloomer with attractive foliage. Tiny white flowers have an airy look as they stand above clump-forming foliage. Foliage is evergreen in mild winters and turns bronze in fall. Makes an excellent groundcover.	Grows well in average, medium well-drained soils. Prefers rich, organic soils that don't dry out. Spreads by runners.
Foxglove Beardtongue	<i>Penstemon digitalis</i>	White	3'-4'h 1.5'-2'w	June - July	Butterfly/ Songbird/ Hummingbird	full to partial sun	12"	Trumpet-shaped white flowers are arranged in terminal clusters on multiple stems. Attractive dark green foliage. Hummingbird and butterfly magnet.	Grows in dry to medium moisture in well-drained soils in full sun. Avoid poorly drained soils.
Garden Phlox	<i>Phlox paniculata</i>	White/ Pink/ Purple	2'-4'h 2'-3'w	June - September	Butterfly/ Hummingbird/ Songbird	full sun to part shade	12"	Fragrant tubular purple-pink to white florets are densely packed in flower clusters that persist over a long bloom period. Attracts butterflies.	Prefers moderately fertile, medium moist soil. Best in part sun. Naturalizes outside native range.
Golden Alexander	<i>Zizia aurea</i>	Yellow	1'-3'h 1.5'-2'w	May - July	Butterfly	full sun to part shade	12"	Brilliant golden yellow flowers form broad umbrella-shaped clusters atop dark green foliage. An important food source for Black Swallowtail butterfly caterpillars.	Grow in average, medium moisture, well-drained soils in full sun to part shade. May be evergreen in mild winters. Deer resistant.
Great Blue Lobelia	<i>Lobelia siphilitica</i>	Blue	2'-3'h 1'-3'w	July - September	Hummingbird/ Butterfly	part sun to part shade	12"	Showy light to dark blue tubular flowers adorn flower spikes rising 2-3' above leafy stalks. Late summer bloom period.	Prefers medium rich to moist soils. Appreciates part shade and will tolerate more shade.
Green Comet Milkweed NOT AVAILABLE FOR PRE-ORDER	<i>Asclepias viridiflora</i>	Green	1-2.5'h 1'w	July	Butterfly/ Pollinator/ Monarch Host Plant	full sun to partial sun	12"	This uncommon milkweed has light green to green flowers. As the plant matures, the flowers begin to turn yellowish green or purplish green. Short stature and delicate milkweed. Monarch host plant. Great for butterfly gardeners looking for an uncommon milkweed.	Prefers dry mesic to dry well drained soil. Has tap root so does not like to be moved. Drought tolerant once established.
Hoary Vervain	<i>Verbena stricta</i>	Blue - violet	2'-4'h 1.5'-2'w	July - September	Butterfly/ Hummingbird	full sun	12"	Deep purple, tubular flowers in spikes on 2-3' tall plants, easy and hardy, summer bloomer attracts hummingbirds and butterflies.	Easily grown in average, medium to dry soils in full sun. May thrive in dry, sandy soils. Good drought tolerance.

Common Name	Scientific Name	Color	Height/Width	Bloom Time	Use	Light	Spacing	Description	Conditions
Largeflower Tickseed	<i>Coreopsis grandiflora</i>	Yellow	1.5'-2' 1'-2'w	June - August	Butterfly	full sun	12"	Bright yellow daisy-like flowers grow atop clumps of foliage. Grows well in dry poor soil to form large masses. Attracts butterflies.	Grows well in dry to medium, well-drained soil. Tolerant of heat, humidity and drought. Tolerates deer and rabbits. Short lived but self seeds. Deadheading prolongs bloom time.
New England Aster	<i>Symphyotrichum novae-angliae</i>	Blue-purple	3'-6'h 1.5'w	August-October	Butterfly/ Songbird	full to partial sun	12"	Showy and abundant violet-purple flower heads that are 1-2" wide. Forms large clumps and is an important late summer nectar and pollen source.	Prefers average, medium, well-drained soil but tolerates drier conditions. Can pinch back before mid-July to control plant height. May self sow under optimal conditions.
Nodding Onion	<i>Allium cernuum</i>	Pink	"1'-2'h 0.2'- 0.5'w"	June to August	Butterflies/ Hummingbirds	full sun to part shade	12"	Produces open clusters of pinkish purple droplet shaped flowers along drooping, arching 2' stems. Foliage is leaf shaped and bluish green. Deer resistant.	Easily grown in average, dry to medium moisture, well drained soils. Best in full sun. Light afternoon shade in summer beneficial. Bulb that will naturalize by self seeding and bulb offset.
Orange Coneflower	<i>Rudbeckia fulgida fulgida</i>	Yellow with Brown Center	"2'-3'h 2'- 2.5'w"	June - October	Butterfly/ Pollinator/ Songbird	full sun	12"	Bright, sunny flower attracts butterflies and other pollinators. Looks wonderful planted in mass. Features daisy-like flowers up to 2.5" across with yellow rays and brownish-purple center disks. Prolific bloom production over a long mid-summer to fall bloom period. Good cut flower.	Easily grown in dry to medium, well-drained soil. Best bloom occurs in full sun. Deadhead spent flowers to encourage additional bloom. Plants slowly spread in the garden by rhizomes.
Poke Milkweed NOT AVAILABLE FOR PRE-ORDER	<i>Asclepias exaltata</i>	White with Lavender to Green Tinges	"4'-6'h 2'-3'w"	July - August	Butterfly/ Monarch Host Plant	full sun to part shade	12"	Tall milkweed that resembles common milkweed but leaves have purple veins. Flower clusters are white with lavender to greenish tinges. Flower clusters hang in groups. Monarch host plant. Uncommon milk weed that does well in more shady environments. Wood edge native.	Prefers moderate to moist soil conditions and partial shade.
Purple Coneflower	<i>Echinacea purpurea</i>	Pink	3-4'h 1.5'-2'w	July - September	Butterfly/ Songbird/ Hummingbird	full to partial sun	12"	Large 2-4" deep pink to rose flower heads attract butterflies. Seed heads attract goldfinches and other songbirds.	Grows well in average, dry to medium, well-drained soil in full sun to part-shade. Best in full sun. Tolerant of drought, heat, humidity and poor soil.
Seaside Goldenrod	<i>Solidago sempervirens</i>	Yellow	2-4'h 2'-3'w	September-October	Butterfly/ Pollinator	full to partial sun	12-18"	Bright yellow flower heads are clustered on beautiful spikes. Important food source for migrating monarchs.	Does best in dry sites with sandy soil and is salt tolerant. Makes great addition to naturalized gardens, backyard habitats and wildflower gardens. Will produce foliage and few flowers if overfertilized.
Smooth Aster	<i>Symphyotrichum laeve</i>	Deep blue	2'-4'h 1'-2'w	August - October	Butterfly/ Songbird	full sun	12"	Late season bloomer loved by songbirds and butterflies. A profusion of deep blue star-like flowers cover the plant in late autumn when other plants have faded. Very hardy and often blooms into November.	Grows well in average, dry to medium, well-drained soils. Self seeds.
Swamp/Red Milkweed	<i>Asclepias incarnata</i>	Pink/Red	3-5'h 2'w	June-July	Butterfly/ Songbird	full sun	12-18"	Showy pink flowers in umbels attract butterflies. Host plant for monarchs; top nectar plant for butterflies.	Prefers moist soil but easily established in average garden conditions.
Turk's Cap Lily	<i>Lilium superbum</i>	Orange/Maroon	"4'-6'h 1'w"	July	Hummingbird/ Butterfly	full sun to partial shade	12"	This native true lilly forms impressive stands of tall bright orange flowers. The petals bend back to form a "turks cap". Impressive plants that are favored by butterflies and hummingbirds.	Grows well in medium rich to moist soils. Best in consistently moist soil but does very well locally.
Virginia Spiderwort	<i>Tradescantia virginianum</i>	Blue to Violet-Blue	"1.5'-3'h 1'- 1.5'w"	May - July	Bees/ Butterflies	part shade to full shade	12"	Violet-blue to purple, three-petaled flowers accented by contrasting yellow stamens open up, a few at a time, each for only one day. Flowers bloom in succession from late May into early July on arching, iris-like, dark green leaves. Clump-forming.	In ideal condions, can self seed and may spread. Deadheading can encourage second flowering and prevent spreading.

Common Name	Scientific Name	Color	Height/Width	Bloom Time	Use	Light	Spacing	Description	Conditions
Whorled Milkweed NOT AVAILABLE FOR PRE-ORDER	<i>Asclepias verticillata</i>	White	"1.5'-3'h 1'-2'w"	June - September	Butterfly/ Monarch Host Plant	full sun to part shade	12"	Small plant with narrow, needle-like leaves arranged in a whorl around the stem. Small white to greenish flowers form in umbrella like clusters. Pollinator magnate and host plant for monarch butterfly. Feathery look provides nice addition and texture to any butterfly garden.	Easily grown in average, dry, well-drained soils in full sun. Tolerates part shade. Best in sunny locations with sandy loams. Drought tolerant. Spreads slowly by rhizomes.
Wild Columbine	<i>Aquilegia canadensis</i>	Red/ Yellow	1'-2'h 1'w	April-June	Hummingbird/ Butterfly	full sun to shade	12"	Red and yellow dangling tube shaped flowers prefer light to medium shade in well-drained soil. Flower in early spring and attracts hummingbirds when few other nectar flowers available. Columbine Duskywing Caterpillar host plant.	Interesting woodland plant that reseeds. Does best in partially shaded to shady spot.
Wild Petunia	<i>Ruellia humilis</i>	Violet	1'-2'h 1'-2'w	June - August	Butterfly/ Hummingbird	full sun	12"	Lovely violet flower trumpets are a hummingbird favorite. A rare plant that rarely grows more than a foot tall and is perfect for dry, hot locations. Deer resistant.	Grows well in average, medium - dry, well-drained soil. Drought and dry soil tolerant.
Yellow Coneflower	<i>Ratibida pinnata</i>	Yellow	"3'-5'h 1.5'- 2'w"	June - August	Butterflies	full sun	12"	Bright yellow flowers have a gray central cylinder resembling the crown of a slender sombrero. When bruised, the disk smells of licorice. Has a long summer bloom period.	Grows well in average, medium moisture, well-drained soil. Prefers clay or sandy soils. Tolerates poor, dry soils. Best grown in mass because individual plants have few leaves.
Yellow Wild Indigo	<i>Baptisia tinctoria</i>	Yellow to Cream	"2'-3'h 2'-3'w"	May - June	Butterfly	full to part shade	24"	Yellow to cream, pea-like flowers form on attractive foliage with blue-black seed pods. Forms 3' w x 3' h clumps.	Easily grown in average, dry to medium well-drained soil. Prefers full sun. Tolerates drought and poor soil. Prefers not to be disturbed once established.
Zigzag Goldenrod	<i>Solidago flexicaulis</i>	Yellow	1'-3'h 1'-3'w	August - September	Butterfly/ Pollinator	full sun to part shade	12"	Late fall woodland flower that spreads to form a patch. Notable for brilliant yellow flowers that attract butterflies.	Grows well in average, medium moisture, well-drained soils in full sun to part shade. Does best in part shade but will grow in full shade.

Ornamental Grasses

Common Name	Scientific Name	Color	Height/Width	Bloom Time	Use	Light	Spacing	Description	Conditions
Little Blue Stem	<i>Schizachyrium scoparium</i>	Purplish Bronze	2'-4'h 1.5'-2'w	August - October	Song birds	full sun	12"	Grows in upright clumps of slender, flat, green leaves, with each leaf having a tinge of blue at the base. Purplish-bronze flowers appear rise above the foliage in August. Flowers are followed by clusters of fluffy, silvery-white seed heads which are attractive and often persist into winter. Many consider the most outstanding ornamental feature of this grass to be its bronze-orange fall foliage color. Once was dominant prairie plant in US. Good for sun baked areas and to add interest and fill out gardens.	Easily grown in average, dry to medium, well-drained soil in full sun. Tolerates a wide range of soil conditions and performs well in poor soils. Good drought resistance once established. Tolerates deer.
Northern Sea Oats/ River Oats	<i>Chasmanthium latifolium</i>	Green/ Brown	2'-5'h 1'-2.5'w	August - September	Song birds	full sun to part shade	12"	Native ornamental distinguished by flat, drooping seed heads which hang from slightly arching stems. Seed heads will flutter in the wind. Seed heads emerge green but turn purplish bronze by late summer. Bright green leaves turn a coppery color after frost and eventually brown by winter. Provides interest and texture to gardens. Birds may enjoy the seed heads in winter.	Easily grown in average, medium to wet, well-drained soil. Tolerant of poor soils, but prefers moist, fertile soils. Clump forming.

Milkweed Collection for Monarchs

2 of each plant - 6 plants total

Common Name	Scientific Name	Color	Height/Width	Bloom Time	Use	Light	Spacing	Description	Conditions
Butterfly Milkweed	<i>Asclepias tuberosa</i>	Orange	1'-3'h 2'w	May-August	Butterfly/ Bees/ Pollinators	full to partial sun	12-18"	Showy, bright orange flowers, butterfly and pollinator magnet and host plant for monarch caterpillars.	A top butterfly plant for drier soil. Short stature sun loving plant for monarchs.
Common Milkweed	<i>Asclepias syriaca</i>	Pink to Lavender	2-4'h 1'w	June-August	Butterfly/ Songbird/ Pollinators	full to partial sun	12-18"	A profusion of sweetly scented lavender to pink flowers blooms mid-summer and attracts numerous pollinators. Host plant for monarch butterflies.	Easily grown in average, dry to medium well-drained soil in full sun. Spreads by rhizomes and can create a patch if left to reseed and spread.
Dotted Mint	<i>Monarda punctata</i>	Lavender	1'-2'h 1'w	July-September	Butterfly	full sun	12"	The bright lavender "flowers" are actually leafy bracts that surround the true flower. Legions of butterflies, native bees, and other pollinators flock to this plant. Long lasting flowers make this plant a star of the garden especially when planted in a group. Tolerates dry, sandy soil.	Prefers dry to medium moisture, well-drained soils in full sun to part shade. Tolerates dry, sandy soil. Deadhead to prolong blooms.
Swamp/Red Milkweed	<i>Asclepias incarnata</i>	Pink/Red	3-5'h 2'w	June-July	Butterfly/ Songbird	full sun	12-18"	Showy pink flowers in umbels attract butterflies. Host plant for monarchs; top nectar plant for butterflies.	Prefers moist soil but easily established in average garden conditions.

Wildlife Collection for Sunny Areas

1 of each plant - 6 plants total

Common Name	Scientific Name	Color	Height/Width	Bloom Time	Use	Light	Spacing	Description	Conditions
Blazing Star	<i>Liatris spicata</i>	Mauve/ Pink	3-5'h 1'-1.5'w	July-August	Butterfly/ Songbird	full to partial sun	6-12"	Bold purple flower spikes on clump forming plant. Attracts butterflies, hummingbirds, and songbirds.	Prefers moist, well-drained soil.
Golden Alexander	<i>Zizia aurea</i>	Yellow	1'-3'h 1.5'-2'w	May - July	Butterfly	full to part shade	12"	Brilliant golden yellow flowers form broad umbrella-shaped clusters atop dark green foliage. An important food source for Black Swallowtail butterfly caterpillars.	Grow in average, medium moisture, well-drained soils in full sun to part shade. May be evergreen in mild winters. Deer resistant.
New England Aster	<i>Symphotrichum novae-angliae</i>	Blue-purple	3'-6'h 1.5'w	August-October	Butterfly/ Songbird	full to partial sun	12"	Showy and abundant violet-purple flower heads that are 1-2" wide. Forms large clumps and is an important late summer nectar and pollen source.	Prefers average, medium, well-drained soil but tolerates drier conditions. Can pinch back before mid-July to control plant height. May self sow under optimal conditions.
Purple Coneflower	<i>Echinacea purpurea</i>	Pink	3-4'h 1.5'-2'w	July - Sept	Butterfly/ Songbird/ Hummingbird	full to partial sun	12"	Large 2-4" deep pink to rose flower heads attract butterflies. Seed heads attract goldfinches and other songbirds.	Grows well in average, dry to medium, well-drained soil in full sun to part-shade. Best in full sun. Tolerant of drought, heat, humidity and poor soil.

wetlandsinstitute.org/native-plants-index

Pre-order deadline May 1, 2018 | Pre-order plant pickup May 11 – May 13, 2018
(pickup between 9:30am and 4:30pm Friday, Saturday, and Sunday)

Native Plants for Shady Gardens (NOT AVAILABLE FOR PRE-ORDER)

1 of each plant - 6 plants total

Common Name	Scientific Name	Color	Height/ Width	Bloom Time	Use	Light	Spacing	Description	Conditions
Coral Bells	<i>Heuchera americana</i>	Cream with Red Tinge	1'-2'h 1"-1.5'w	June-August	Hummingbird	full sun to partial shade	12"	Excellent foliage plant with ruffled leaves. Evergreen in mild winters. Clump forming. Attracts hummingbirds.	Prefers rich soil, medium moisture and well-drained soils in full sun to part shade.
Foamflower	<i>Tiarella cordifolia</i>	White/Pink	1'h 1.5'w	May - June	Butterfly	part shade to full shade	12"	Delicate, shade-loving, early spring bloomer with attractive foliage. Tiny white flowers have an airy look as they stand above clump-forming foliage. Foliage is evergreen in mild winters and turns bronze in fall. Makes an excellent groundcover.	Grows well in average, medium well-drained soils. Prefers rich, organic soils that don't dry out. Spreads by runners.
Great Blue Lobelia	<i>Lobelia siphilitica</i>	Blue	2'-3'h 1"-3'w	July - September	Hummingbird/Butterfly	part sun to part shade	12"	Showy light to dark blue tubular flowers adorn flower spikes rising 2-3' above leafy stalks. Late summer bloom period.	Prefers medium rich to moist soils. Appreciates part shade and will tolerate more shade.
Wild Columbine	<i>Aquilegia canadensis</i>	Red/Yellow	1"-2'h 1'w	April-June	Hummingbird/Butterfly	full sun to shade	12"	Red and yellow dangling tube shaped flowers prefer light to medium shade in well-drained soil. Flower in early spring and attracts hummingbirds when few other nectar flowers available. Columbine Duskywing Caterpillar host plant.	Interesting woodland plant that reseeds. Does best in partially shaded to shady spot.
Zigzag Goldenrod	<i>Solidago flexicaulis</i>	Yellow	1"-3'h 1"-3'w	August - September	Butterfly/Pollinator	full sun to part shade	12"	Late fall woodland flower that spreads to form a patch. Notable for brilliant yellow flowers that attract butterflies.	Grows well in average, medium moisture, well-drained soils in full sun to part shade. Does best in part shade but will grow in full shade.

wetlandsinstitute.org/native-plants-index

