



Wetlands
INSTITUTE®

NATIVE PLANT SALE

MAY 10, 11, & 12 • 9:30 AM - 4:30 PM



Plant Selection

Available in 1 Quart Containers

Common Name	Scientific Name	Color	Height/ Width	Bloom Time	Use	Light	Spacing	Description	Conditions
Anise Hyssop	<i>Agastache x foeniculum</i>	Lavender	2'-4'h 1.5'-3'w	June- September	Butterfly/ Bees/ Pollinators/ Hummingbird	full to partial sun	12"	Bright purple flowers on clustered spikes and textured foliage attract pollinators and butterflies. Crushed leaves are mint and licorice scented.	Easily grown in average, dry to medium moisture, well drained soils. Best in full sun. Spreads by rhizomes and self sows.
Bee Balm	<i>Monarda didyma</i>	Red	2'-4'h 1.5'w	June - August	Hummingbird/ Butterfly/ Bees	full sun to partial shade	18"	Showy bright tubular scarlet flowers occur in clusters of flowerheads that are 3-4" across. Leaves have a minty fragrance. Creates striking presence when planted in mass.	Best grown in rich, medium soils with some afternoon shade. Deadhead flowers to prolong blooms.
Bergamot	<i>Monarda fistulosa</i>	Pale pink/ purple	2'-4'h 3'-4'w	July - September	Butterfly/ Songbird/ Hummingbird	full to partial sun	24"	Intricate lavender flowers are a magnet for pollinators, butterflies, and hummingbirds. Forms masses and is impressive planted in groups. Fresh leaves can be used to brew tea.	Best grown in dry to medium moisture in well-drained soils. Plants need good air circulation. Deadhead to prolong blooms.
Blanket Flower	<i>Gaillardia aristata</i>	Red/ Yellow	1.5'-2'h 1'-1.5'w	May - Sept	Birds/ Butterflies/ Pollinators	full to partial sun	12"	Features showy orange and red flowers with yellow tipped rays. Seedheads, if left on plant, attracts goldfinches.	Easily grown in dry to medium soil in full sun. Tolerant of dry soils and drought.
Blazing Star	<i>Liatris spicata</i>	Mauve/ Pink	3-5'h 1'-1.5'w	July-August	Butterfly/ Songbird	full to partial sun	6-12"	Bold purple flower spikes on clump forming plant. Attracts butterflies, hummingbirds, and songbirds.	Prefers moist, well-drained soil.
Blue Wild Indigo	<i>Baptisia australis</i>	Deep blue	3-5'h 3'-4'w	June-July	Butterfly	full to partial sun	24"	Intense blue, pea-like flowers on attractive foliage with blue-black seed pods. Forms 3' w x 3' h clumps. Host plant for frosted elfin butterfly and important nectar plant.	Easily grown in average, dry to medium well-drained soil. Prefers full sun. Tolerates drought and poor soil. Prefers not to be disturbed once established.
Butterfly Milkweed	<i>Asclepias tuberosa</i>	Orange	1'-3'h 2'w	May-August	Butterfly/ Bees/ Pollinators	full to partial sun	12-18"	Showy, bright orange flowers, butterfly and pollinator magnet and host plant for monarch caterpillars.	A top butterfly plant for drier soil. Short stature sun loving plant for monarchs.
Cardinal Flower	<i>Lobelia cardinalis</i>	Red	2'-4'h 1'-2'w	July - September	Hummingbird/ Butterfly	full sun to partial shade	12"	A clump-forming perennial with erect spikes of brilliant red tube shaped flowers that draw hummingbirds like a magnet.	Grows well in medium rich to moist soils. Tolerates some flooding. Should not dry out. Prefers some afternoon shade.

Common Name	Scientific Name	Color	Height/ Width	Bloom Time	Use	Light	Spacing	Description	Conditions
Common Milkweed	<i>Asclepias syriaca</i>	Pink to Lavender	2-4'h 1'w	June-August	Butterfly/ Songbird/ Pollinators	full to partial sun	12-18"	A profusion of sweetly scented lavender to pink flowers blooms mid-summer and attracts numerous pollinators. Host plant for monarch butterflies.	Easily grown in average, dry to medium well-drained soil in full sun. Spreads by rhizomes and can create a patch if left to reseed and spread.
Coral Bells	<i>Heuchera americana</i>	Cream with Red Tinge	1'-2'h 1'-1.5'w	June-August	Hummingbird	full sun to partial shade	12"	Excellent foliage plant with ruffled leaves. Evergreen in mild winters. Clump forming. Attracts hummingbirds.	Prefers rich soil, medium moisture and well-drained soils in full sun to part shade.
Dotted Mint	<i>Monarda punctata</i>	Lavender	1'-2'h 1'w	July-September	Butterfly	full sun	12"	The bright lavender "flowers" are actually leafy bracts that surround the true flower. Legions of butterflies, native bees, and other pollinators flock to this plant. Long lasting flowers make this plant a star of the garden especially when planted in a group. Tolerates dry, sandy soil.	Prefers dry to medium moisture, well-drained soils in full sun to part shade. Tolerates dry, sandy soil. Deadhead to prolong blooms.
Eastern Blue Star	<i>Amsonia tabernaemontana</i>	Light Blue	2'-3'h 2'-3'w	May - June	Butterfly	full sun to part shade	12"-24"	Clump forming plant with clusters of 3/4" light blue star shaped flowers. Foliage adds interest and has narrow willow-shaped leaves that turn yellow in fall. Tolerates deer. Plant in a mass for best effect.	Easily grown in average, medium, well-drained but moist soil.
Foxglove Beardtongue	<i>Penstemon digitalis</i>	White	3'-4'h 1.5'-2'w	June - July	Butterfly/ Songbird/ Hummingbird	full to partial sun	12"	Trumpet-shaped white flowers are arranged in terminal clusters on multiple stems. Attractive dark green foliage. Hummingbird and butterfly magnet.	Grows in dry to medium moisture in well-drained soils in full sun. Avoid poorly drained soils.
Garden Phlox	<i>Phlox paniculata</i>	White/ Pink/ Purple	2'-4'h 2'-3'w	June - September	Butterfly/ Hummingbird/ Songbird	full sun to part shade	12"	Fragrant tubular purple-pink to white florets are densely packed in flower clusters that persist over a long bloom period. Attracts butterflies.	Prefers moderately fertile, medium moist soil. Best in part sun. Naturalizes outside native range.
Golden Alexander	<i>Zizia aurea</i>	Yellow	1'-3'h 1.5'-2'w	May - July	Butterfly	full sun to part shade	12"	Brilliant golden yellow flowers form broad umbrella-shaped clusters atop dark green foliage. An important food source for Black Swallowtail butterfly caterpillars.	Grow in average, medium moisture, well-drained soils in full sun to part shade. May be evergreen in mild winters. Deer resistant.
Green Comet Milkweed	<i>Asclepias viridiflora</i>	Green	1-2.5'h 1'w	July	Butterfly/ Pollinator/ Monarch Host Plant	full sun to partial sun	12"	This uncommon milkweed has light green to green flowers. As the plant matures, the flowers begin to turn yellowish green or purplish green. Short stature and delicate milkweed. Monarch host plant. Great for butterfly gardeners looking for an uncommon milkweed.	Prefers dry mesic to dry well drained soil. Has tap root so does not like to be moved. Drought tolerant once established.
NOT AVAILABLE FOR PRE-ORDER									
Hoary Vervain	<i>Verbena stricta</i>	Blue - violet	2'-4'h 1.5'-2'w	July - September	Butterfly/ Hummingbird	full sun	12"	Deep purple, tubular flowers in spikes on 2-3' tall plants, easy and hardy, summer bloomer attracts hummingbirds and butterflies.	Easily grown in average, medium to dry soils in full sun. May thrive in dry, sandy soils. Good drought tolerance.
Lanceleaf Coreopsis	<i>Coreopsis lanceolata</i>	Yellow	1'-2'h 1'-1.5'w	June-July	Butterfly/ Songbird	full sun	12"	Large, golden-yellow flowers bloom for weeks creating amazing early summer displays that attract butterflies and songbirds to seedheads.	Grows well in dry to medium moisture, well-drained soil. Thrives in poor and sandy soil. Heat, humidity, and drought tolerant. Deadheading enhances blooming.
Largeflower Tickseed	<i>Coreopsis grandiflora</i>	Yellow	1.5'-2' 1'-2'w	June - August	Butterfly	full sun	12"	Bright yellow daisy-like flowers grow atop clumps of foliage. Grows well in dry poor soil to form large masses. Attracts butterflies.	Grows well in dry to medium, well-drained soil. Tolerant of heat, humidity and drought. Tolerates deer and rabbits. Short lived but self seeds. Deadheading prolongs bloom time.
New England Aster	<i>Symphyotrichum novae-angliae</i>	Blue-purple	3'-6'h 1.5'w	August-October	Butterfly/ Songbird	full to partial sun	12"	Showy and abundant violet-purple flower heads that are 1-2" wide. Forms large clumps and is an important late summer nectar and pollen source.	Prefers average, medium, well-drained soil but tolerates drier conditions. Can pinch back before mid-July to control plant height. May self sow under optimal conditions.

Common Name	Scientific Name	Color	Height/ Width	Bloom Time	Use	Light	Spacing	Description	Conditions
Nodding Onion	<i>Allium cernuum</i>	Pink	"1'-2'h 0.2'- 0.5'w"	June to August	Butterflies/ Hummingbirds	full sun to part shade	12"	Produces open clusters of pinkish purple droplet shaped flowers along drooping, arching 2' stems. Foliage is leaf shaped and bluish green. Deer resistant.	Easily grown in average, dry to medium moisture, well drained soils. Best in full sun. Light afternoon shade in summer beneficial. Bulb that will naturalize by self seeding and bulb offset.
Orange Coneflower	<i>Rudbeckia fulgida fulgida</i>	Yellow with Brown Center	"2'-3'h 2'- 2.5'w"	June - October	Butterfly/ Pollinator/ Songbird	full sun	12"	Bright, sunny flower attracts butterflies and other pollinators. Looks wonderful planted in mass. Features daisy-like flowers up to 2.5" across with yellow rays and brownish-purple center disks. Prolific bloom production over a long mid-summer to fall bloom period. Good cut flower.	Easily grown in dry to medium, well-drained soil. Best bloom occurs in full sun. Deadhead spent flowers to encourage additional bloom. Plants slowly spread in the garden by rhizomes.
Oxeye Sunflower	<i>Heliopsis helianthoides</i>	Yellow	3'-6'h 2'-4'w	June - August	Butterfly/ Birds	full sun	12"	Large, daisy like flowers (2"-3" in diameter) sit atop sturdy stems and flower throughout the summer. Also know as false sunflower.	Easily grown in average, dry to medium well drained soils in full sun. Tolerates some shade.
Poke Milkweed NOT AVAILABLE FOR PRE-ORDER	<i>Asclepias exaltata</i>	White with Lavender to Green Tinges	"4'-6'h 2'-3'w"	July - August	Butterfly/ Monarch Host Plant	full sun to part shade	12"	Tall milkweed that resembles common milkweed but leaves have purple veins. Flower clusters are white with lavender to greenish tinges. Flower clusters hang in groups. Monarch host plant. Uncommon milk weed that does well in more shady environments. Wood edge native.	Prefers moderate to moist soil conditions and partial shade.
Purple Coneflower	<i>Echinacea purpurea</i>	Pink	3-4'h 1.5-2'w	July - September	Butterfly/ Songbird/ Hummingbird	full to partial sun	12"	Large 2-4" deep pink to rose flower heads attract butterflies. Seed heads attract goldfinches and other songbirds.	Grows well in average, dry to medium, well-drained soil in full sun to part-shade. Best in full sun. Tolerant of drought, heat, humidity and poor soil.
Purple Milkweed	<i>Asclepias purpurascens</i>	Rose Pink to Purple	2'-3'h 1'-3'w	May-July	Butterfly/ Songbird/ Pollinators	full sun	12-18"	Resembles Common Milkweed except flowers are purple and on a shorter plant. Fragrant flowers. Monarch host plant and butterfly and pollinator attractor.	Can spread aggressively but not by underground rhizomes. Makes an excellent native habitat component where groomed gardens are not necessary. Drought tolerant
Seaside Goldenrod	<i>Solidago sempervirens</i>	Yellow	2-4'h 2'-3'w	September- October	Butterfly/ Pollinator	full to partial sun	12-18"	Bright yellow flower heads are clustered on beautiful spikes. Important food source for migrating monarchs.	Does best in dry sites with sandy soil and is salt tolerant. Makes great addition to naturalized gardens, backyard habitats and wildflower gardens. Will produce foliage and few flowers if overfertilized.
Short Toothed Mountain Mint	<i>Pycnanthemum muticum</i>	White/Pink	1'-3'h 1'-3'w	July - September	Butterflies/ Bees	full sun to part shade	12"	Forms masses of densely packed tubular pink flowers that sit atop dark green foliage. Leaf bracts turn white making plant look like it was dusted with white. Leaves has strong spearmint aroma. Forms clumps and is a butterfly magnet. Pycnanthemums have been used in teas.	Grows well in fertile, moist soil but also tolerates drought. Spreads by rhizomes but is not invasive.
Slender Mountain Mint	<i>Pycnanthemum tenuifolium</i>	White	2'-3'h 2'-3'w	July - September	Butterflies/ Bees	full sun to part shade	12"	Plant has very narrow, almost needle-like leaves and profuse clusters of small, white flowers. All parts of the plant emit a strong, mint-like aroma when crushed. Pycnanthemums have been used in teas.	Easily grown in average, dry to medium, well-drained soi. Can be a vigorous plant.
Smooth Aster	<i>Symphyotrichum laeve</i>	Deep blue	2'-4'h 1'-2'w	August - October	Butterfly/ Songbird	full sun	12"	Late season bloomer loved by songbirds and butterflies. A profusion of deep blue star-like flowers cover the plant in late autumn when other plants have faded. Very hardy and often blooms into November.	Grows well in average, dry to medium, well-drained soils. Self seeds.
Swamp/Red Milkweed	<i>Asclepias incarnata</i>	Pink/Red	3-5'h 2'w	June-July	Butterfly/ Songbird	full sun	12-18"	Showy pink flowers in umbels attract butterflies. Host plant for monarchs; top nectar plant for butterflies.	Prefers moist soil but easily established in average garden conditions.

Common Name	Scientific Name	Color	Height/ Width	Bloom Time	Use	Light	Spacing	Description	Conditions
Turk's Cap Lily	<i>Lilium superbum</i>	Orange/ Maroon	"4'-6'h 1'w"	July	Hummingbird/ Butterfly	full sun to partial shade	12"	This native true lily forms impressive stands of tall bright orange flowers. The petals bend back to form a "turks cap". Impressive plants that are favored by butterflies and hummingbirds.	Grows well in medium rich to moist soils. Best in consistently moist soil but does very well locally.
Virginia Spiderwort	<i>Tradescandia virginianum</i>	Blue to Violet- Blue	"1.5'-3'h 1'- 1.5'w"	May - July	Bees/ Butterflies	part shade to full shade	12"	Violet-blue to purple, three-petaled flowers accented by contrasting yellow stamens open up, a few at a time, each for only one day. Flowers bloom in succession from late May into early July on arching, iris-like, dark green leaves. Clump-forming.	In ideal condions, can self seed and may spread. Deadheading can encourage second flowering and prevent spreading.
Whorled Milkweed NOT AVAILABLE FOR PRE-ORDER	<i>Asclepias verticillata</i>	White	"1.5'-3'h 1'-2'w"	June - September	Butterfly/ Monarch Host Plant	full sun to part shade	12"	Small plant with narrow, needle-like leaves arranged in a whorl around the stem. Small white to greenish flowers form in umbrella like clusters. Pollinator magnet and host plant for monarch butterfly. Feathery look provides nice addition and texture to any butterfly garden.	Easily grown in average, dry, well-drained soils in full sun. Tolerates part shade. Best in sunny locations with sandy loams. Drought tolerant. Spreads slowly by rhizomes.
Wild Columbine	<i>Aquilegia canadensis</i>	Red/ Yellow	1'-2'h 1'w	April-June	Hummingbird/ Butterfly	full sun to shade	12"	Red and yellow dangling tube shaped flowers prefer light to medium shade in well-drained soil. Flower in early spring and attracts hummingbirds when few other nectar flowers available. Columbine Duskywing Caterpillar host plant.	Interesting woodland plant that reseeds. Does best in partially shaded to shady spot.
Wild Petunia	<i>Ruellia humilis</i>	Violet	1'-2'h 1'-2'w	June - August	Butterfly/ Hummingbird	full sun	12"	Lovely violet flower trumpets are a hummingbird favorite. A rare plant that rarely grows more than a foot tall and is perfect for dry, hot locations. Deer resistant.	Grows well in average, medium - dry, well-drained soil. Drought and dry soil tolerant.
Yellow Coneflower	<i>Ratibida pinnata</i>	Yellow	"3'-5'h 1.5'- 2'w"	June - August	Butterflies	full sun	12"	Bright yellow flowers have a gray central cylinder resembling the crown of a slender sombrero. When bruised, the disk smells of licorice. Has a long summer bloom period.	Grows well in average, medium moisture, well-drained soil. Prefers clay or sandy soils. Tolerates poor, dry soils. Best grown in mass because individual plants have few leaves.
Yellow Wild Indigo	<i>Baptisia tinctoria</i>	Yellow to Cream	"2'-3'h 2'-3'w"	May - June	Butterfly	full to part shade	24"	Yellow to cream, pea-like flowers form on attractive foliage with blue-black seed pods. Forms 3' w x 3' h clumps.	Easily grown in average, dry to medium well-drained soil. Prefers full sun. Tolerates drought and poor soil. Prefers not to be disturbed once established.

Milkweed Collection for Monarchs

2 of each plant - 6 plants total

Common Name	Scientific Name	Color	Height/ Width	Bloom Time	Use	Light	Spacing	Description	Conditions
Butterfly Milkweed	<i>Asclepias tuberosa</i>	Orange	1'-3'h 2'w	May-August	Butterfly/ Bees/ Pollinators	full to partial sun	12-18"	Showy, bright orange flowers, butterfly and pollinator magnet and host plant for monarch caterpillars.	A top butterfly plant for drier soil. Short stature sun loving plant for monarchs.
Common Milkweed	<i>Asclepias syriaca</i>	Pink to Lavender	2-4'h 1'w	June- August	Butterfly/ Songbird/ Pollinators	full to partial sun	12-18"	A profusion of sweetly scented lavender to pink flowers blooms mid-summer and attracts numerous pollinators. Host plant for monarch butterflies.	Easily grown in average, dry to medium well-drained soil in full sun. Spreads by rhizomes and can create a patch if left to reseed and spread.
Swamp/Red Milkweed	<i>Asclepias incarnata</i>	Pink/Red	3-5'h 2'w	June-July	Butterfly/ Songbird	full sun	12-18"	Showy pink flowers in umbels attract butterflies. Host plant for monarchs; top nectar plant for butterflies.	Prefers moist soil but easily established in average garden conditions.

Wildlife Collection for Sunny Areas

1 of each plant - 6 plants total

Common Name	Scientific Name	Color	Height/ Width	Bloom Time	Use	Light	Spacing	Description	Conditions
Blazing Star	<i>Liatris spicata</i>	Mauve/ Pink	3-5'h 1'-1.5'w	July-August	Butterfly/ Songbird	full to partial sun	6-12"	Bold purple flower spikes on clump forming plant. Attracts butterflies, hummingbirds, and songbirds.	Prefers moist, well-drained soil.
Butterfly Milkweed	<i>Asclepias tuberosa</i>	Orange	1'-3'h 2'w	May-August	Butterfly/ Bees/ Pollinators	full to partial sun	12-18"	Showy, bright orange flowers, butterfly and pollinator magnet and host plant for monarch caterpillars.	A top butterfly plant for drier soil. Short stature sun loving plant for monarchs.
Dotted Mint	<i>Monarda punctata</i>	Lavender	1'-2'h 1'w	July- September	Butterfly	full sun	12"	The bright lavender "flowers" are actually leafy bracts that surround the true flower. Legions of butterflies, native bees, and other pollinators flock to this plant. Long lasting flowers make this plant a star of the garden especially when planted in a group. Tolerates dry, sandy soil.	Prefers dry to medium moisture, well-drained soils in full sun to part shade. Tolerates dry, sandy soil. Deadhead to prolong blooms.
Golden Alexander	<i>Zizia aurea</i>	Yellow	1'-3'h 1.5'-2'w	May - July	Butterfly	full to part shade	12"	Brilliant golden yellow flowers form broad umbrella-shaped clusters atop dark green foliage. An important food source for Black Swallowtail butterfly caterpillars.	Grow in average, medium moisture, well-drained soils in full sun to part shade. May be evergreen in mild winters. Deer resistant.
New England Aster	<i>Symphotrichum novae-angliae</i>	Blue- purple	3'-6'h 1.5'w	August- October	Butterfly/ Songbird	full to partial sun	12"	Showy and abundant violet-purple flower heads that are 1-2" wide. Forms large clumps and is an important late summer nectar and pollen source.	Prefers average, medium, well-drained soil but tolerates drier conditions. Can pinch back before mid-July to control plant height. May self sow under optimal conditions.
Purple Coneflower	<i>Echinacea purpurea</i>	Pink	3-4'h 1.5'-2'w	July - Sept	Butterfly/ Songbird/ Hummingbird	full to partial sun	12"	Large 2-4" deep pink to rose flower heads attract butterflies. Seed heads attract goldfinches and other songbirds.	Grows well in average, dry to medium, well-drained soil in full sun to part-shade. Best in full sun. Tolerant of drought, heat, humidity and poor soil.



wetlandsinstitute.org/native-plants-index

Pre-order deadline May 3, 2019 | Pre-order plant pickup May 10 – May 12, 2019
(pickup between 9:30am and 4:30pm Friday, Saturday, and Sunday)